

Town of Greenville
TOWN BOARD MEETING
TENTATIVE AGENDA
May 18, 2015

Zoning review, 5:30 – 6:50 pm

Regular monthly meeting commencing with bill paying, 7:00 pm

Award sewer extension bids

Approval of minutes: 4/20/15 , 5/5/15

OLD BUSINESS

- a) Highway
- b) Buildings and Grounds
- c) Code Enforcement
- d) Sewer
- e) Water Report
- f) Recycling
- g) Planning Board Report
- h) Dog Control Officer
- i) Beautification Committee Report

NEW BUSINESS

- a) Elaina Spahmer, Gold Award project, Troop 1407
- b) Household hazardous waste collection event, Sat. June 6, 8am-noon
- c) Memorial Day Ceremonies, Monday, May 25th, 10:45 am
- d) Town AED upgrade
- e) BAS animal control software proposal
- f) Misc.

Open Meeting

Supervisors Report

Upcoming scheduled meetings:

Town Board Meetings: June 15, 2015 at 7:00 pm, regular monthly meeting

May 18, 2015
Supt. Of Highways
Monthly report

- 1 - Culvert pipes have been replaced on O'Hara and Shipley road, starting on Weed road this week.
- 2 - New Bobcat excavator should be in this week.
- 3 - Greene County Highway Dept. gave us two days with there large bucket truck with a operator, large trees on Weed road, no charge.
- 4 - Working on seeking spec's for the fuel system from the Greene County facility to help us with the bid process .

Town of Greenville
Superintendent of Highways
Richard Hempstead

Town of Greenville
Building Department
Monthly Report

Month Of APRIL 2015

Building Permits:	New	<u>5</u>
	RENEWAL	<u>1</u>
	Additions	<u> </u>

Inspections 24

Title Searches: 4

Septic Permits: 1

Fire Calls: 2

Violations: 3

Notes:

BUILDING PERMIT APPLICATION,
SIGN PERMIT APPLICATION AND
THE SEPTIC PERMIT APPLICATION
HAVE REVIEWED, REVISED AND
UPDATED

GREENVILLE WATER DISTRICT
FED ID # NY1800028

OPERATION REPORT FOR THE MONTH OF: APRIL 20 15
WATER PLANT A

PAGE 1 of 3

WATER PLANT A NOTES

WELL PUMPING RATE
WELL 2 A 35 GPM
WELL 3 A 35 GPM

POTASSIUM PERMANGANATE
DOSAGE BEING USED 1.0 mg/l
QUANTITY USED 2 lb/gal

PHOSPHATE INHIBITOR
DOSAGE BEING USED 2.4 mg/l
QUANTITY USED 2 gal

FILTERS ARE BEING RUN TOGETHER UNLESS
INDICATED OTHERWISE HERE

COLIFORM BACTERIA TESTS

DATE 4/14/15 LOCATION ELEM SCHOOL CAMPUS
POS* NEG ✓

DATE LOCATION
POS* NEG

*POSITIVE COLIFORM RESULTS MUST BE
REPORTED TO DOH IMMEDIATELY

GENERAL SYSTEM NOTES:

SYSTEM RAW WELL IN APRIL
4-3 RAW WELL 3 - 400 gal
TO WASTE - WELL OPERATING
GOOD

REPORTED BY: Paul Leroy Bean

TITLE WATER SUPERINTENDENT

DATE 5/18/15

GREENVILLE WATER DISTRICT OPERATIONS REPORT FOR THE MONTH OF April 20 15
 FED ID # NY1900028 WATER PLANT A

DATE	RAW WATER			TREATED WATER			Chlorine Gallons Added	Ortho Gallons Added	Pot/Mag Lbs Added	Daily Entering Tank	Daily Leaving Tank	DISTRIBUTION		weekly iron/mg location	
	1	2	3	Iron one / week	Mang. one / week	Hardness each						daily chlorine	location		
1															
2							45	1/2	1/2	2.00	1.41	0.59	CF		
3										1.96	1.45	0.53	CF		
4										1.09	1.38	0.60	CF		
5	.00	.083	75	.00	.051	200				1.97	1.39	0.61	CF		
6										1.51	1.46	0.64	CF		
7										1.99	1.42	0.59	CF	FE.02	CF
8										2.05	1.31	0.56	CF		
9								1/2	1/2	1.90	1.48	0.52	CF		
10										2.07	1.55	0.42	CF		
11										1.82	1.52	0.47	CF		
12	.02	.094	200	.00	.047	200				1.93	1.42	0.45	CF		
13										2.03	1.45	0.58	LIBRARY	FE.01	LIBRARY
14										2.20	1.52	0.47	CF		
15										1.62	1.49	0.75	SCHOOL		
16										1.81	1.48	0.53	CF		
17								1/2	1/2	0.89	1.51	0.50	CF		
18							55			2.20	1.36	0.55	CF		
19	.08	.197	200	.00	.036	200				2.20	1.45	0.44	CF		
20										1.87	1.47	0.63	Pravler	FE.02	Pravler
21										1.95	1.56	0.56	CF		
22										1.70	1.53	0.49	CF		
23										1.82	1.55	0.53	CF		
24								1/2	1/2	2.09	1.58	0.48	CF		
25										2.20	1.58	0.46	CF		
26	0.11	.200	250	.00	.042	250				2.05	1.55	0.49	CF		
27										1.99	1.61	0.63	CF		
28							50			2.15	1.40	0.60	CF	FE.02	CF
29										1.87	1.53	0.62	CF		
30								1/2	1/2	1.71	1.56	0.70	CF		
31										1.90	1.60	1.08	CF		

APRIL 2015 DATE	WELL 3 A		WELL 2 A		TOWER HEIGHT	BACKWASH READING	GALLONS	DISTRIBUTION READING	GALLONS
	METER READING	GALLONS	METER READING	GALLONS					
	804816		410999		54.5	1179829		15180305	
1	804816		411504		56.7	1179904		83341	
2	804816		412003		57.6	1180191		85954	
3	804816	400 gal to waste	412003		50.5	0221		89134	
4	804816		412534		52.6	0513		91382	
5	804816		412658		49.2	1180785		94010	
6	804816		413193		49.0	1070		98490	
7	804816		413703		50.7	1181240		15201063	
8	804816		414224		53.5	1529		03214	
9	804816		414735		57.4	1568		05014	
10	804816		415236		57.4	1181912		1520711	
11	804816		415236		52.0	2112		08990	
12	804816		415743		55.1	2391		11004	
13	804816		416274		52.7	1182679		13605	
14	804816		416275		50.1	1182981		15216731	
15	804816		416749		50.9	3277		19777	
16	804816		416749		43.9	3277		23294	
17	804816		416749		36.5	3528		28934	
18	804816		416912		33.1	3831		29524	
19	804816		417457		36.9	4130		31793	
20	804816		417492		38.4	4454		34384	
21	804816		418540		39.8	4747		37661	
22	804816		419037		40.6	5074		40811	
23	804816		419609		42.6	5383		43984	
24	804816		420774		43.3	5697		46640	
25	804816		420580		48.6	5697		48119	
26	804816		421113		52.7	1185986		49841	
27	804816		421634		55.6	1186026		15252046	
28	804816		422156		57.4	1186312		15255003	
29	804816		422777		56.3	6988		58757	
30	804816		423223		55.7	7061		61797	
31									
TOTAL	400		1,222,400			71,920		814,920	← METER IS READING ABOUT 30% Low
AVERAGE	76.15%		40,750			2,400			

GREENVILLE WATER DISTRICT OPERATIONS REPORT FOR THE MONTH OF APRIL 20 15

FED ID# 1900028

WATER PLANT B

DATE	WELL#	BK WASH METER #	RAW WATER WELLS		TREATED WATER		CL.	ORTHO Per Mag	DAILY RESIDUALS		DISTRIBUTION READING	WTPB NOTES
			IRON	MANG	IRON	MANG			HARD	HARD		
1	294596	5206							2.20	.90	2125	PLANT RAW WELL IN APRIL
2	295799	5206						2.20	.73	2235		
3	296944	5206						0.49	.45	2346		
4	298378	5706						0.64	0.71	2474		
5	300269	5216	.06	.163	.00	.018	.250	2.20	0.51	2682		
6	300613	5216						2.20	0.44	2811		
7	303710	5226						2.20	0.47	2921		
8	304468	5226						2.20	0.52	3038		
9	305685	5226						2.20	0.74	3150		
10	306894	5726						2.20	0.76	3261		
11	309015	5236						0.77	0.71	3367		
12	309368	5236	.04	.24	.00	.021	.250	2.20	0.79	3487		
13	310800	5236						1.46	0.71	3620		
14	31200	5236						2.20	0.64	3731		
15	31311	5236						0.04	0.27	3828		
16	314307	5236						2.20	0.36	3947		
17	31648	5236						1.79	0.37	4057		
18	317880	5236						1.05	1.08	4160		
19	317895	5236						2.20	0.94	4280		
20	319256	5246	.03	.136	.00	.013	.260	2.20	0.95	4403		
21	320556	5246						2.20	1.38	4524		
22	321799	5246						2.20	1.49	4640		
23	323094	5246						2.05	1.44	4761		
24	324457	5256						2.20	1.41	4888		
25	325914	5256						1.75	1.39	5022		
26	326555	5256	.03	.101	.00	.020	.250	2.20	1.30	5078		
27	327870	5256						2.20	0.96	5204		
28	329160	5266						2.20	1.37	5320		
29	330770	5266						0.55	1.28	5472		
30	332058	5266						0.52	1.72	5588		
31	333346	5266								5704		
TOTAL	374620	6000									346300	
AVG	12,500	200									11,550	

Adirondack Environmental Services, Inc

Date: 27-Apr-15

CLIENT: Greenville, Town of
Project: Town Water
 Greenville, NY

LabWork Order: 150414034
PO#:

Lab SampleID: 150414034-001

Collection Date: 4/14/2015 10:40:00 AM

Client Sample ID: Greenville Central School Elem.

Matrix: DRINKING WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

TOTAL COLIFORM, MF - SM 9222 ABC

Analyst: 10350

Total Coliform	< 1	1		CFU/100ml	1	4/14/2015 2:00:00 PM
Escherichia coli	Negative	0			1	4/14/2015 2:00:00 PM

Lab SampleID: 150414034-002

Collection Date: 4/14/2015 9:15:00 AM

Client Sample ID: Waste Effluent

Matrix: WATER

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

Analyst: SM

ICP METALS - EPA 200.7

(Prep: SW3010A - 4/15/2015)

Iron	0.243	0.050		mg/L	1	4/22/2015 9:06:08 PM
Manganese	0.558	0.020		mg/L	1	4/22/2015 9:06:08 PM

Analyst: KG

TOTAL SUSPENDED SOLIDS - SM 2540D

(Prep: SM2540 D - 4/17/2015)

TSS (Residue, Non-Filterable)	< 2.0	2.0		mg/L	1	4/17/2015
-------------------------------	-------	-----	--	------	---	-----------

Analyst: PL

TOTAL SETTLEABLE SOLIDS- SM 2540 F

Total Settleable Solids	< 0.1	0.1		mL/L	1	4/14/2015 1:37:00 PM
-------------------------	-------	-----	--	------	---	----------------------

Town of Greenville
Planning Board and Zoning Board of Appeals
Update: Apr – May 2015

Planning Board April 28, 2015

Gail Nichol森- Altered Lot Line: 164 Fox Hill Road (Tax Map #36.00-3-25)

Mrs. Nichol森 summarized that a piece of property was purchased from her neighbor over the winter. The property is approximately .25 acres and zoned RR. Mrs. Nichol森 was told by the Board members to come to the next month's meeting with the survey maps to review. The Board agreed to waive a Public Hearing.

Motion to waive the Public Hearing made by Brian Wickes. Seconded by Arnie Cavallaro. All is favor: 4, Opposed: 0, Motion Carried.

Alfred DeFrancesco- Septic Approval: 11159 SR 32 (Tax Map #24.02-4-27)

Mr. DeFrancesco brought in his papers for approval of the septic system put in at the Butcher Shop. Mr. DeFrancesco stated that he still needed to talk with Ag & Markets to check on the proposed 20 gallon grease trap. Brian Wickes stated that he would like Mark Overbaugh (Code Enforcement Officer) to review septic plans.

Motion was made to have Mark review Septic Plans by Brian Wickes. Seconded by Arnie Cavallaro. All in favor: 4, Opposed: 0, Motion Carried.

Camp Malka

It was discussed that the Fire suppression tank is not 20,000 gal. Camp Malka would like to put a pump in the pond instead of installing the extra tank. Arnie showed concern that when the water levels drop in the summer there is a potential for problems. Board members feel that they should not open until 20,000 gal pressurized tank is installed. Also, members stated that the camp did not complete other phases of the project and cannot proceed further. Brian stated that Tal should send a letter stating conditions required by the Planning Board and the Town. This letter will show a reminder of the work needed to be completed by opening.

Zoning Plan

Discussion of zoning plan was that there were no problems, only a few typos. Also discussed was the sign law. Arnie asked if they should get rid of the sign law. Brian stated that they need to be reworked, "If we have laws they need to be enforced". Tal asked for options from Brian, because selective enforcement is not legal.

SEORA Joint Training with New Baltimore

Paul Macko brought to the Board's attention an email he received about a joint training program with New Baltimore. He advised the Board to let him know if anyone was planning on attending.

Mike Elssie- Original Survey Maps: 3339 CR 67 (Tax Map #51.00-2-57.2)

Mr. Elssie is questioning the lots owned by James Sullivan (Tax Map #51.00-2-57.1 & 51.00-2-57.2). He is questioning why these parcels are still written as a full parcel on the maps. Tal looked at the papers and maps provided and determined that it was not a full survey. It was recommended to Mr. Elssie that he submit a full survey to show the removal of the 2.1 acre parcel in question (Tax Map #51.00-2.57.2). He would also need an application for a subdivision.

Next Planning Board Meeting: May 26, 2015

Tentative Agenda: Nichol森, DeFrancesco, Camp Malka, & Mike Elssie

Zoning Board of Appeals April 14, 2015

Pending from January

Public Hearing: Sandy Garden- Sign Variance -Generator Business: 10057 RT 32 (Tax Map #36.00-5-27)

Public present for the meeting

Mr. Garden plans to sell generators and power products out of his barn. Board members reviewed the sign variance application. On behalf of 2 abutting neighbors there was an Attorney present. He presented the Board with pictures taken of four signs placed on Mr. Garden's property. Residents present addressed the fact that there are just too many signs, large in size placed throughout the property. Residents feel that the presences of these signs are very un-applying to the look of their surrounding properties. There was also discussion regarding a sign advertising for Rainbow Golf. Mr. Garden is not being paid for this advertisement; sign is posted as a courtesy. Zoning laws were reviewed by the Board, as to what sign size is allowed for a Home Operation. A 2x4 size is allowed, Mr. Garden is asking for a 4x8-sized sign. Mike Schlenker mentioned that Mr. Garden could just correct the sign size for the Board's approval. Conversation was made between John Ingalls and Atty. Scott Colbert. Mr. Colbert mentioned that the Board allowing this sign variance was just wrong and that zoning laws need to be uphold to ensure the value of residential properties. The Board decided after reviewing the details further that it would be best to have the Town's attorney review this case.

Motion to table the Board's decision and to leave this Public Hearing open until February 10, 2015 made by John Ingalls. Seconded by: Mike Schlenker. All in favor: 2, Opposed: 1 (Mike Schlenker), Motion Carried.

Conversation continued with the Board, Public and applicant present. Note that as of January 15, 2015 applicant has removed all extra business signs on his property, but the one seeking approval. Applicant presented the Board with a list he had typed up consisting of 152 other businesses along Route 32 with approved and non-approved business signs both; within size allowance and not. The Board addressed the list but made mention that these are not what is on discussion for approval. Member of the Public addressed his displeasure with Mr. Garden's business sign and the noise level that is created from his home business. It was also discussed that if Mr. Garden had a business sign the size that is allowed per the Zoning laws with the speed traveled on Route 32 no one would be able to read it. The Board addressed the question raised about Mr. Garden getting approval of a "Home Operation" variance, which was approved November 10, 2014. All discussions considered and noted, however Mr. Garden does have all of the necessary papers filed.

Motion made to approve a sign variance for size to Sandy Garden at 10057 Route 32, made by Tom Briggs. Seconded by: Joan Smith. All in favor: 5, Opposed: 0, Motion carried

Public Hearing: The National Bank of Coxsackie - Area Variance (Sign) 4894 SR 81 Greenville: Tax Map #12.04-4-18

No Public Present

Ms. Bliss of NBC summarized her proposed plans for the sign on the bank's property. The property is approximately 0.68 acres and is zoned Hamlet Business. NBC plans to install a sign 49.5 square feet in size with internal lighting. NBC is asking The Board to be granted a sign variance because their sign is over the allowed size of 32 square feet in the Hamlet Business and for the use of internal lighting. The Board was presented with the plans and pictures of other signs comparable in size and design at other bank locations. The Board discussed the size and the proposed location of the new sign. Board members reviewed the plans and pictures; no concerns were noted.

Motion made to approve a sign variance for size and internal lighting to The National Bank of Coxsackie at 4894 SR 81, made by Sandy Garden. Seconded by: Tom Briggs. All in favor: 5, Opposed: 0, Motion carried.

Cumberland Farms- Area Variance (Sign) 4887 SR 81 Greenville: (Tax Map # 12.04-4-17)

Ms. Carolyn Parker will be acting on behalf of Cumberland Farms. Ms. Parker of Cumberland Farms summarized her proposed plans in writing to seek approval to update existing signs on the store's property. The property is approximately 0.88 acres and is zoned Hamlet Business. Cumberland Farms plans to install updated gas pump signs and an updated large company name sign with intermittent lighting, which will change every 8 seconds. Cumberland Farms is asking The Board to be granted "5" sign variances to allow their signs to be updated and internally lite with intermittent lighting. The Board was presented with the plans, pictures, and requested variances. The Board discussed that "10" variances would need to be filed in order to have the paperwork for the requested changes be in proper order. They also discussed that the brightness of the new updated signs may need to be addressed. Board members reviewed the plans and pictures, they also conducted a preliminarily review of the project; some conditions and concerns noted.

*Motion to accept the application for Cumberland Farms with the condition that they file "10" area variances for updated sign approval made by Joan Smith. Seconded by: Sandy Garden
All in favor: 6, Opposed: 0, motion carried.*

Sandy Garden – Area Variance (Sign) 10756 RT 32 Greenville: (Tax Map # 24.04-1-7.2)

Mr. Garden summarized his proposed plans for the change of an existing sign. This existing sign would be at an off premise location. The location of the proposed sign is on property owned by Greene County Power Equipment. Mr. Garden plans to install a sign on the property however; no money will be changing hands for the sign to be posted. There is a letter on file from the owner of Greene Power Equipment giving their permission. Mr. Garden is asking the Board to grant a sign variance for an off the premise sign permit. The Board was presented with pictures of the sign in size and design. There was discussion over the fact that the location of this sign has been many others business advertisements in the past. Some of the Board mentioned disapproval with the request.

Board members reviewed the pictures, they also conducted a preliminarily review of the project; concerns were noted over the fact that the sign has had a high turnover of advertisers.

Motion to accept the application made by John Ingalls.

Seconded by: Tom Briggs. All in favor: 4, Opposed: 1 (Joan Smith), motion carried.

Next ZBA Meeting: May 12, 2015

Tentative Agenda: Gail Nichol森 & Tor Tryland
Cumberland Farms
Sandy Garden

MONTHLY STATEMENT OF SUPERVISOR

MONTHLY STATEMENT OF SUPERVISOR

To the TOWN BOARD of the TOWN OF GREENVILLE

To the TOWN BOARD of the TOWN OF GREENVILLE

Pursuant to Section 119 of the Town Law, I hereby render the following detailed statement of all moneys received by me, as Supervisor, during the month of April, 20 15

Pursuant to Section 119 of the Town Law, I hereby render the following detailed statement of all moneys disbursed by me, as Supervisor, during the month of April, 20 15

RECEIPTS		DISBURSEMENTS	
SOURCE	AMOUNT RECEIVED	FUND OR ACCOUNT	AMOUNT EXPENDED
general Fund		General Fund	
interest	141.33	payrolls 13-16m	29041.98
court fees	1860.00	employee benefits	5697.89
clerk's deposit	3494.90	abstract #4	29398.69
misc. fees	915.96		-----
cable commision	13196.30		\$64,138.56
	-----	Highway Fund	
	\$19,608.49	payrolls 13-16	16663.72
Highway Fund		employee benefits	7009.29
interest	146.50	abstract #4	17984.73
fuel reimbmt.	4245.19		-----
	-----	Library Fund	
	\$4,391.69	payrolls 13-16m	6620.19
Library Fund		employee benefits	1319.15
interest	2.47	abstract #4	4645.73
monthly deposit	1202.24		-----
	-----	Water Fund	
	\$1,204.71	payrolls 13-16	2549.36
Water Fund		employee benefits	900.11
interest	31.72	abstract #4	2364.94
metered sales	637.87		-----
	-----	Sewer Fund	
	\$669.59	abstract #4	\$11,033.39
Sewer Fund			
interest	\$14.51		
TOTAL	\$25,888.99	TOTAL	\$135,229.17

Dated: April 30, 20 15

Paul J. Mackin
Town of Greenville

Dated: April 30, 20 15

Paul J. Mackin
Town of Greenville
Supervisor

Account#	Account Description	Fee Description	Qty	Local Share
A 1255	MARRIAGE LIC.	MARRIAGE LICENSE FEE	1	7.50
		Sub-Total:		\$7.50
A 2130	MISC. FEES	Recycling	9	1,599.00
		Sub-Total:		\$1,599.00
A 2555	PERMIT FEES	Building	7	1,386.00
		Sub-Total:		\$1,386.00
A 2590	PERMIT FEES	Sewer	1	50.00
		Sub-Total:		\$50.00
A1255	Conservation	Conservation	9	30.94
		Sub-Total:		\$30.94
A1603	Registrar Fees	Certified Copies	45	450.00
		Sub-Total:		\$450.00
A2544	Dog Licensing	Exempt Dogs	1	0.00
		Female, Spayed	12	108.00
		Female, Unspayed	3	51.00
		Male, Neutered	21	189.00
		Male, Unneutered	4	68.00
		Replacement Tags	2	0.00
	Seniors, 65 and older	Seniors, 65 and older	6	-18.00
		Sub-Total:		\$398.00
A2770	MISC. FEES	Misc	1	22.00
		Sub-Total:		\$22.00
Total Local Shares Remitted:				\$3,943.44
Amount paid to:	NYS Ag. & Markets for spay/neuter program			54.00
Amount paid to:	NYS Environmental Conservation			530.06
Amount paid to:	State Health Dept. for Marriage Licenses			22.50
Total State, County & Local Revenues:				\$4,550.00
Total Non-Local Revenues:				\$606.56

To the Supervisor:

Pursuant to Section 27, Sub 1, of the Town Law, I hereby certify that the foregoing is a full and true statement of all fees and monies received by me, Jackie Park, Town Clerk, Town of Greenville during the period stated above, in connection with my office, excepting only such fees and monies, the application of which are otherwise provided for by law.

Supervisor

Date

Jackie Park
Town Clerk

5/1/15
Date

Town of Greenville Town & County 2015 Collection Summary

Batches 1 thru 61

District:	Taxes Collected:	Penalty:	Surcharge:	Notice Fee:	Remaining Uncollected:
Town & County 2015	3258596.26	6051.70	0.00	0.00	692406.31
Totals:	3258596.26	6051.70	0.00	0.00	692406.31

Collection Statistics:

Number of Postings:	2194
Percentage Collected:	82%
Number of Adjustments:	0
Number of Voids:	12
Number of Returned Payments:	20
Number Refunded Duplicate Pmnts:	10
Notice Handling Fees Collected:	0.00
Received Via:	
On-Line:	27
Mail:	1646
Counter:	521

Cash:	51252.20
Check:	3148717.93
Other:	64678.93
Total:	3264649.06
Minus Duplicate/Over Payments:	1.10
	3264647.96
Taxes:	3258596.26
Penalty:	6051.70
Surcharge:	0.00
Ret. Check Fees:	0.00
Notice Fees:	0.00
Total:	3264647.96
Minus Direct / Under Payments:	
0 Direct:	0.00
0 Under:	0.00
	3264647.96

Other Payment Type Breakout:

Credit Card:	14	14145.77
Online Payment:	27	50533.16

J. P. [Signature]
4/30/15



**Greene County
Economic Development,
Tourism & Planning**

411 Main Street, Suite 419
Catskill, New York 12414

Warren Hart
Director



**GREENE
BUSINESS**

GREENE COUNTY PLANNING BOARD

MEETING NOTICE

May 20, 2015
Greene County Office Building, 411 Main Street, Catskill
Room 427
6:30 PM

AGENDA

1. Roll call
2. Approval of Minutes
3. Planning and Zoning Referrals
 - 15-17 Town of Tannersville
Re: Site Plan/Area Variance
 - 15-18 Town of Tannersville
Re: Site Plan
 - 15-19 Town of Tannersville
Re: Site Plan
 - 15-20 Town of Cairo
Re: Site Plan
 - 15-21 Town of Catskill
Re: Site Plan
 - 15-22 Village of Coxsackie
Re: Site Plan/Area Variance
 - 15-23 Town of Halcott
Re: Area Variance
4. Member Networking/Information Exchange
5. Correspondence
6. Other business
7. Adjournment

Please note the following procedures for attending meetings that begin after 5pm:

1. Please use the Water Street entrance to the building.
2. Please stop at the security desk and sign in, provide your name, date, time and room number for this meeting.
3. Please stop at the security desk to sign out when the meeting is adjourned.

Thank you for your cooperation.

REMINDER: Please call at least 24 hours prior to the meeting if you are unable to attend!


DiscoverGreene.com



**Agriculture
and Markets**

April 24, 2015

Paul Macko
Town Supervisor - Town of Greenville
PO Box 38
Greenville, NY 12083

Enclosed is the **Dog Control Officer Inspection Report** completed on **04/17/2015**. This inspection relates to Agriculture and Markets Laws and Regulations which may be viewed on the website below.

As the report indicates, DCO services were rated "Satisfactory". Please make note of any comments listed on the report.

Dog control officer services are subject to inspection by this agency on a regular basis.

Please notify this office within 30 days of any changes in DCO services.

If you have any questions regarding this inspection, please call me.

Elizabeth Holmes
Animal Health Inspector
(518) 321-5002

DOG CONTROL OFFICER INSPECTION REPORT - DL-89

Rating: Satisfactory365

Purpose: Inspection

DATE/TOA: 4/17/15 9:00 am

MELISSA ROSA
 9525 RT 32
 GREENVILLE NY 12083

Inspector: Elizabeth Holmes

Inspector #: 58

These are the findings of an inspection of your facility on the date(s) indicated above:

- | | |
|--|----------------|
| 1. Equipment is available for proper capture and holding | Yes |
| 2. Dogs are held and transported safely | Yes |
| 3. Equipment maintained in clean and sanitary condition | Yes |
| 4. Veterinary care is provided when necessary | Yes |
| <i>Catskill Animal Hospital</i> | |
| 5. Dogs are euthanized humanely | Yes |
| 6. Complete seizure and disposition records are maintained for all seized dogs | Yes |
| 7. Dogs transferred for purposes of adoption in compliance with Article 7 | Not Applicable |
| <i>Handled by the CGHS</i> | |
| 8. Redemption period is observed before adoption, euthanasia or transfer | Yes |
| 9. Owners of identified dogs are properly notified | Yes |
| 10. Redeemed dogs are licensed before release | Not Applicable |
| <i>Handled by municipal clerks</i> | |
| 11. Proper impoundment fees paid before dogs are released | Not Applicable |
| <i>Handled by municipal clerks</i> | |
-

Town - City - Village Information for Inspection:

TCV CODE **TCV NAME**

1907 Town of Greenville

Additional Information for Inspection:

Number of Dogs Seized:

Number of dogs seized since previous inspection: 13

Associated Municipal Shelter(s):

Name of Shelter(s): Columbia - Greene Humane Society

REMARKS:

REPRESENTATIVE PRESENT FOR INSPECTION: **Melissa Rosa**
TITLE: **DCO**

REVIEWED BY: **Annette Holowka**
REVIEWED DATE: **04/21/2015**

Elaina Spahmer
281 CR 406
Greenville, NY 12083
May 6, 2015

Greenville Town Board
11159 Route 32, Pioneer Building
P.O. Box 38, Greenville, NY 12083

Dear Greenville Town Board,


My name is Elaina Spahmer and I am a member of Girl Scout troop 1407 in Greenville. I am working on my Gold award project and would like to present it to the board on your May 18th Town Board meeting, if possible.

My gold award project addresses the issue of obesity in the town of Greenville. I plan to create mile markers throughout the trails of the town park. At each mark, there'd be a sign outlining a short workout (ex: 50 jumping jacks, 30 lunges) With an opportunity for people to track their distances either running or walking, along with an optional workout at each mark, making the choice to exercise should be easier in Greenville. In order to have a lasting effect and make sure people utilize the trails, I will write articles in my local and school newspaper about the project, use social media, and create pamphlets to educate the public on the importance of exercise and the dangers of obesity.

If you have any questions, please contact me at your convenience to schedule a meeting. You can reach me by phone at 518-339-2219 or by email at spahmer.e123@gmail.com. Thank you for your time. I look forward to hearing from you.

Sincerely,

Elaina Spahmer



Taylor Antonelli,
Marina Plattner
Girl Scout Troop 1407
100 Kudlack Road
Greenville, NY 12083
518-966-8406

tchron6303@gmail.com (Taylor), marinaalice14@aol.com (Marina)

April 28, 2015

**Greenville Town Board
11159 Route 32, Pioneer Building
P.O. Box 38, Greenville, NY 12083**

Dear Greenville Town Board Members,

We would both like to thank you for approving us to be able to use the town park for our Pit Bull Awareness Event. Our event at the Vanderbilt Park will be on Saturday August 1, 2015. We will be in contact with Mr. Bear as the planning progresses.

Thank you.

Sincerely,

Taylor Antonelli Marina A. Plattner

Taylor Antonelli and Marina Plattner



240 West Main Street
PO Box 485
Catskill, NY 12414

Greene County Solid Waste

May 1, 2015

Robert J. Van Valkenburg
Superintendent

Dear Town and Village Clerks:

Greene County Solid Waste will be holding our annual Household Hazardous Waste Collection event on June 6, 2015, between the hours of 8 am and 12 noon. Participation is quick and easy and there is no charge for Greene County residents. All wastes are recycled or properly disposed of by the HHW contractor. Each of our previous events have collected two trailer loads of wastes, keeping them out of the environment.

We are asking for your help in getting the word out to the public, especially those who haven't yet participated in our program. We have enclosed a flyer with all the details. Please post it in your office and provide a copy for each member of your board, as well as any interested members of the public.

Thank you for helping us protect our environment by collecting this waste. If you have a question or would like additional flyers please call our office at 943-4600.

Yours truly,

Robert J. Van Valkenburg

Robert J. Van Valkenburg
Superintendent



Phone: 518-943-4600

Fax: 518-943-3868

2015



AVAILABLE TO GREENE COUNTY RESIDENTS ONLY

PROOF OF RESIDENCY REQUIRED


SATURDAY JUNE 6, 2015 8am to 12noon
GREENE COUNTY HIGHWAY DEPARTMENT

67 SCOTT LANE
 ATHENS, NEW YORK

IN ORDER TO PROPERLY MANAGE THIS EVENT, REDUCE TRAFFIC AND MINIMIZE WAITING TIME WE REQUEST PARTICIPANTS TO ARRIVE DURING THESE SUGGESTED TIMES ACCORDING TO

THE FIRST LETTER OF YOUR LAST NAME:

A-G	H-N	O-T	U-Z
8-9am	9-10am	10-11am	11-12 noon



QUESTIONS? PLEASE CALL (518) 943-4600 OR EMAIL solidwaste@discovergreene.com

WHAT IS HOUSEHOLD HAZARDOUS WASTE?

HOUSEHOLD HAZARDOUS WASTE IS A HOUSEHOLD QUANTITY OF A PRODUCT THAT IS TOXIC IN NATURE AND SHOULD NOT BE DISPOSED OF AS EVERYDAY TRASH. IT REQUIRES SPECIAL HANDLING, PROCESSING, AND DISPOSAL. SOME OF THESE MATERIALS MAY BE RECYCLED BUT ARE NOT PART OF OUR REGULAR RECYCLING PROGRAM. PLEASE TAKE ADVANTAGE OF THIS OPPORTUNITY TO SAFELY DISPOSE OF THESE MATERIALS. SEE BELOW FOR LIST OF ACCEPTED MATERIALS.

*ACCEPTED	NOT ACCEPTED
ACIDS & BASES	AGRICULTURAL WASTE
AUTOMOTIVE FLUIDS	COMMERCIAL WASTE
CHLORINE	COMPRESSED GASES (aerosols are okay)
CLEANING PRODUCTS	CONTROLLED SUBSTANCES
DRIVEWAY SEALER	EMPTY AEROSOL CANS (recyclable)
FIRE EXTINGUISHERS	EMPTY PAINT CANS (regular waste)
FLUORESCENT LIGHT BULBS	EXPLOSIVES & AMMUNITION
GASOLINE & KEROSENE	FIREWORKS & FLARES
HOBBY CHEMICALS & PAINTS	INDUSTRIAL WASTE
PAINT REMOVERS & THINNERS	INFECTIOUS & BIOLOGICAL WASTES
OIL BASED PAINTS	KNOWN DIOXINS
PESTICIDES/HERBICIDES/INSECTICIDES	MEDICAL WASTE
PHOTO CHEMICALS	MOTOR OIL (recyclable)
SWIMMING POOL CHEMICALS	PRESCRIPTION MEDICATION & SYRINGES
TURPENTINE	PROPANE TANKS (recyclable)
VARNISH	RADIOACTIVE MATERIALS
WEED KILLERS	SMOKE DETECTORS
WOOD PRESERVATIVES & STAINS	ANY NON-HOUSEHOLD QUANTITIES

*We reserve the right to refuse any material deemed unacceptable by the on-site chemist.

Greenville American Legion Post 291 Inc
PO Box 132 Greenville NY 12083
Tel. 966-8278

Town of Greenville
Pioneer Building
Greenville NY 12083

May 16,2015

Attention : Paul Macko, Supervisor

Dear Mr. Macko,
Greenville Post 291, American Legion will celebrate Memorial Day on
Monday May 25. We would appreciate the use of the Gazebo at Veterans
Memorial Park for our traditional and customary ceremonies beginning at
10:45AM, after the parade.

Thank you and the Town for your cooperation over the years.

Respectfully,

Bill Hotter per CMA

William Hotter, Commander
Tel. 330-0058

Mark

From: John Beerse <jbeerse@cardiaclife.net>
Sent: Monday, May 4, 2015 11:00 AM
To: mover@townofgreenvillenyc.com
Subject: Cardiac Life
Attachments: Town of Greenville 9390A Quote 5-4.pdf; CS 9390 Product Sheet.pdf; CLP 2014 W-9 Form.pdf

Thank you for your time this morning Mark.

Here is the current information on your AED. It was manufactured in 2003 and as I mentioned during our call the battery for the 9200 series is no longer available from Cardiac Science.
If your battery was installed in 2010 your actually beyond the typical life span which for that model (9141) is up to 4 years.

My recommendation is to replace that unit with a current model, and I have attached our quote for your consideration.

I am also including the product sheet for the new Cardiac Science 9390 unit as well as our W-9. (that may be needed for processing a purchase order)

If you need anything else after you have looked everything over please let me know.

Enjoy the rest of you day.



John Beerse
Territory Manager
(O) 585.301.4914 (F) 585.267.5218
jbeerse@cardiaclife.net
www.cardiaclife.net



AUTHORIZED
TRAINING
CENTER



**Cardiac Life
Products, Inc.**
PO Box 25755
Rochester, NY 14625



Quote

Date	Quote #
5/4/2015	89521

PH: 585-267-7775
FAX: 585-267-5218

Name / Address
Town of Greenville PO BOX 38 Greenville, NY 12083

Ship To
Town of Greenville 11159 Route 32 Greenville, NY 12083

*Promising the lowest prices and best service.
Let us know if we have not met your expectations.*

Sales Rep	Prepared by
John Beerse	

Item	Description	Qty	Your Cost	Retail	Total
A-9390A-1001P-NAS...	Powerheart AED G3 Plus with 7 year warranty, AHA-aligned Automatic Package with *Rescue Coach: includes AED, Carry Case, Ready Kit, Adult Defibrillation Electrode in AED and Spare set of Adult Defibrillation Electrodes, 4 year warranty battery, software and download cable, medical prescription. (Price includes Trade in Discount for 9200RD unit)	1	1,275.00	Below NYS Contract	1,275.00
C-180SM-1 S-1115-02	Cabinet-surface mounted, with Alarm 17.5 X 17.5 X 7 1- static cling w/directions, marker and stand out sign	1	150.00		150.00
Shipping	Shipping and Handling	1	15.00		15.00

NASPO-SW 300 PC 66732

Quote valid for 30 days.

Total

\$1,440.00

AED Program Management mitigates risk. Ask us how we can help.

The POWERHEART® AED G3 Plus

Our flagship automated external defibrillator, complete with RescueCoach™ and CPR metronome to pace chest compressions

Appropriate Locations

- Work places
- Transportation
- Sporting venues
- Schools
- Retail & hotels
- Recreation facilities
- Places of worship
- Any public place


Primary Benefits

Reliability. The device is Rescue Ready®, meaning it self-tests daily to ensure it works when you need it.

Ease of Use.

- The RescueCoach™ voice prompts and metronome guide you through a very stressful rescue situation.
- The device knows when to (and when not to) deliver the shock.
- The text screen lends extra help in noisy and chaotic environments.

Assurance. The unit has a 7-year warranty and a 4-year full battery replacement guarantee.



Rescue Ready® performance sets Powerheart AEDs apart

Our Rescue Ready technology distinguishes us among competitors.

- + Every day, to ensure anytime functionality, the AED self checks all main components (battery, hardware, software, and pads).
- + Every week, the AED completes a partial charge of the high-voltage electronics.
- + Every month, the AED charges the high-voltage electronics to full energy.

If anything is amiss, the Rescue Ready status indicator on the handle changes from green to red and the device will emit an audible alert to prompt the user to service the unit. In sum, a Powerheart AED is Rescue Ready when a life depends on it.

Most anyone can operate a Powerheart AED G3 Plus

In the chaos that follows sudden cardiac arrest, concerned but untrained people are hesitant to intervene. Will they know what to do? There's a life on the line!

We designed the Powerheart AED G3 Plus with RescueCoach™ voice prompts to talk rescuers through the steps.

- + When the rescuer applies the pads, the device analyzes the heart rhythm and "knows" when to deliver (or not deliver) the shock.
- + The shock is delivered automatically, with no button to push, and no human intervention. (We also make a semi-automatic version.)
- + After the shock, the unit prompts for CPR with a built-in metronome that sets the pace for proper chest compressions.

In a University of Pennsylvania simulated rescue study, the AED G3 Plus helped untrained adults deliver CPR of a quality similar to that of trained professionals.¹

¹ Peer reviewed study by Benjamin S Abella et. al. "Untrained Volunteers Perform High Quality CPR When using an Automatic External Defibrillator with a CPR Voice Prompting Algorithm." *Circulation*. 2007; 116:11_437.



The POWERHEART® AED G3 Plus

TECHNICAL SPECIFICATIONS	
DEFIBRILLATOR Operations Waveform Allowable Energy Range (J) Protocols Factory default (nominal) Voice prompts CPR prompts Text screen Visible indicators Audible alerts Synchronized shock Pacemaker pulse detection Programmable Pediatric capability Warranty	9390A (fully automatic version) and 9390E (semi-automatic version) STAR® biphasic truncated exponential Escalating Variable Energy (VE) 95J to 351J 5 energy protocols available 200VE, 300VE, 300VE RescueCoach voice instructions guide user confidently through rescue process Metronome for compression frequency, available with compressions-only CPR or CPR with rescue breaths Displays rescue prompts to guide user through rescue process as well as additional critical rescue information for EMS responders Rescue Ready status indicator, SmartGauge battery status indicator, service indicator, PAD indicator, text display Voice prompt, system alert Built-in automatic synchronization feature Yes Yes, via MDLink® Yes 7 years
PADS Minimum combined surface area Extended length of lead wire Supplied Type Shelf life	228 cm² (35.3 sq in) 1.3 m (4.3 ft) Self-checking, pre-connected to the AED Adult, pre-gelled, self-adhesive, disposable, non-polarized (identical pads can be placed in either position) defibrillation pads 2 years
BATTERY Type Guarantee	IntelliSense® lithium battery 4-year, full operational replacement
AUTOMATIC SELF-TESTS Daily Weekly Monthly	Battery, pads (presence and function), internal electronics, SHOCK/CONTINUE button, and software Battery, pads (presence and function), internal electronics, partial energy charge, SHOCK/CONTINUE button, and software Battery, pads (presence and function), internal electronics, full energy charge cycle, SHOCK/CONTINUE button, and software
EVENT DOCUMENTATION Type Internal memory ECG playback Communications Clock synchronization	Internal memory 60 minutes ECG data with event annotation, multiple rescue functionality Viewable via Rescuelink® software via PC Serial port or USB (via adapter) for PC with Windows Rescue event time stamp of event data
DIMENSIONS (H x D x W)	8 cm x 31 cm x 27 cm (3.3 in x 12.4 in x 10.6 in)
WEIGHT	3.1 kg (6.6 lb)
MODEL NUMBERS 9390A-1001 9390E-1001	Powerheart AED G3 Plus Automatic with 2010 AHA/ERC Guidelines protocols Powerheart AED G3 Plus Semi-Automatic with 2010 AHA/ERC Guidelines protocols Each AED package includes (1) defibrillator, (1) IntelliSense battery (9146), (1) pair of defibrillation pads, and (1) Quick Start Tool Kit including CD-Rom with AED Manual, Training Video, Rescuelink and MDLink, and serial communication cable

Cardiac Science Corporation • N7 W22025 Johnson Drive, Waukesha, WI 53186 USA • +1.262.953.3500 • US toll-free +1.800.426.0337 • Fax: +1.262.953.3499 • care@cardiacscience.com
 Orders and Customer Care (US and International) • +1.262.953.3500 • US toll-free +1.800.426.0337 • Fax: +1.262.798.8292 • care@cardiacscience.com
 Technical Support • (US) Fax: +1.262.798.5236 • technicalsupport@cardiacscience.com • http://websupport.cardiacscience.com/webchat • (International) Internationalservice@cardiacscience.com
 Cardiac Science International A/S • Kirke Vaerloesvej 14, DK-3500 Vaerloese, Denmark • +45.4438.0500 • Fax: +45.4438.0501 • international@cardiacscience.com
 United Kingdom • The Manse, 39 Northenden Road, Sale, Manchester, M33 2DH, United Kingdom • +44.161.926.0000 • uk@cardiacscience.com
 France • Tech'indus D, 645 rue Mayor de Montricher, 13854 Aix-en-Provence Cedex 3, France • +33.4.42.12.37.91 • france@cardiacscience.com
 Central Europe (D, A, CH) • Elisabeth Treskow-Platz 1, 50678 Köln, Germany • +49.221.337745.90 • centraleurope@cardiacscience.com
 China • 6/F South Building, 829, Yi Shan Road, Shanghai 200233, China • +86.21.6495.9121 • china@cardiacscience.com



Cardiac Science, the Shielded Heart logo, Powerheart, Rescue Ready, RescueCoach, STAR, IntelliSense, MDLink, and Rescuelink are trademarks of Cardiac Science Corporation. Copyright © 2012 Cardiac Science Corporation. All Rights Reserved. MKT-10000-01rH
 0086 Authorized EU representative • MDSS GmbH, Schiffgraben 41, D-30175 Hannover, Germany



TOWN OF GREENVILLE
ANIMAL CONTROL SOFTWARE
PROPOSAL



APRIL 2015



"Transforming the way government works"

661 Plank Road • Clifton Park • New York • 12065 • Phone 518-371-6869 • Fax 518-371-8207

4/22/2015

TOWN OF GREENVILLE

ANIMAL CONTROL SYSTEM QUOTATION

SOFTWARE/SERVICES:

1 Workstation

Animal Control System

\$1,000

Installation Support & Training
(1/2 day remote training- 2 sessions)

\$480

Total Software/Services:

\$1,480

Annual Software Support & Maintenance Fee
(See Note #2)

\$500

Total 1st Year Investment:

\$1,980

Approved By:

Name (Signature)

Title

Name (Print)

Date

Please Note: This Quote is Valid for 60 Days



"Transforming the way government works"

661 Plank Road • Clifton Park • New York • 12065 • Phone 518-371-6869 • Fax 518-371-8207

Notes on Software & Services:

1. The ACO/Shelter System will be initialized with data available from the BAS Clerk Licensing System or the NYS Department of Agriculture and Markets for dogs registered in the Town at no additional cost.
2. The Annual Software Maintenance fee covers any State mandated changes and other software enhancements as well as unlimited telephone support and remote assistance.
3. System configuration and training hours are invoiced at our standard rate of \$960/day. Training will be conducted at your location, unless otherwise instructed. Travel expenses includes, but is not limited to, personal vehicle transportation at the Federal/State Mileage Rate, train/air fare; lodging; parking; tolls and per diem meal expenses.
4. The BAS professional rate for consulting, systems analysis, custom software development or technical support is \$140 per hour; estimates will be provided in advance for client approval before this type of work would be initiated
5. Prospective purchasers should carefully review the BAS Windows Software Hardware/Network Guidelines.
6. To upgrade from single-user to a network version or to add additional network workstations, please call for pricing.
7. Internet Access is required for downloading software updates, email support and web-based technical support. BAS utilizes remote connection technology for off-site support; no 3rd party communications software is needed.
8. Installation support and training is normally completed within approximately 30-60 days after receipt of a confirmed order; however, the actual schedule is dependent on receiving confirmation that the client's computer system meets the BAS Windows Software Hardware/Network Guidelines.
9. To order the software, a 50% down payment is needed along with a signed purchase order or letter of commitment; progress payments will be invoiced as the software is installed and services are rendered.



ANIMAL CONTROL

The Animal Control System is designed to help manage enforcement activities related to licensed dogs and other animals. The system allows retrieval of information by owners name, address, license (tag) number, or local incident number.

MAJOR FEATURES OF THIS SYSTEM INCLUDE

- Provides quick search capability by owner name to verify a dog license and/or by dog license to find owner information
- Creates record of all enforcement and complaint activity (strays, seizures, bites, etc.)
- Displays complete history of incidents (by animal, owner, etc.)
- Prints "all actions by incident" report for use in court cases
- Prints out a Bite Report to print off a logged incident
- Prints Appearance tickets for a court appearance
- Tracks all vehicle maintenance
- Ability to link pictures/images to an incident and to dog records
- Includes initial upload from Ag & Markets or BAS Licensing System
- Allows periodic uploads from BAS Dog Licensing System to keep license information current
- Prints NYS approved plain paper DL-18 & DL-87 forms
- Meets NYS Agriculture & Markets reporting requirements
- Uses the latest Microsoft Database Technology – SQL

What Do Our Customers Think?

"Our new animal management system has greatly improved our shelter and field service operations. Since it is tailored to municipal facilities it has become an useful tool we rely on more and more each day. We are more efficient in our day to day reporting, and our increased confidence in enforcement and court appointments is making our department more effective and professional. We appreciate the relationship BAS has maintained with our staff throughout the year even after purchase and we look forward to working with them in the future."

- Ashlee Masters
City of Ciebume, TX
Animal Services Clerk



YOUR TECH PARTNER

Our IT Services Division has been providing a broad range of technology related services to our customers that go well beyond the scope of our standard software support. We can function as your IT Department or provide just the specific services needed:

DISASTER RECOVERY & BUSINESS CONTINUITY PLANNING

More and more organizations are learning the importance of having a disaster plan in place before it's too late. We will work with you to develop a Business Continuity Plan to ensure that your data and your ability to function is protected.

NETWORK MANAGEMENT

Managing and maintaining your network is an important part of getting the most out of your investment. Using the latest monitoring tools BAS will proactively monitor, troubleshoot and provide remedial services to ensure minimum network disruption; planning and installing network updates and/or upgrades are also included in this service.

ONLINE BACKUP

Using an automated system BAS will implement an electronic transfer of your data via the Internet to a remote location for safekeeping so that your data is secure and readily available in the event of a disaster.

NEEDS ASSESSMENT/CONSULTING

In addition to identifying your future needs and objectives, BAS will perform an on-site audit of existing computer system infrastructure and produce a detailed report of findings along with a recommended plan of action to meet your stated objectives.

PROJECT MANAGEMENT

Have other projects? BAS can assist you with GIS, document imaging, e-government or other projects that require planning, management and/or implementation services.

NETWORK PLANNING, DESIGN & IMPLEMENTATION

BAS will create an implementation plan to add, modify, or replace your infrastructure to meet your needs.

EMAIL FILTERING

This service will re-route emails to an off-site server to prevent spam and other potentially dangerous emails from entering your network. The filter software will be updated regularly to ensure that approximately 99% of spam is blocked. This will save you significant remedial effort to investigate and correct many related computer problems.

COMPANY PROFILE

Established in 1987, Business Automation Services Inc. has become more commonly known as BAS. With more than 800 municipal clients throughout New York, Connecticut, Massachusetts, Texas and Pennsylvania, BAS is recognized as a leader in the development of software solutions for local governments.

Over the years, BAS has evolved into much more than a software products company as we have gained extensive technical expertise through involvement with our clients. These projects have required BAS staff to provide a wide variety of professional services including project management, systems analysis, custom software development and IT/network management services.

This experience allows BAS to offer clients an integration and e-government platform as local governments strive to improve their systems and internal operations in order to deliver cost-effective, added value services to their residents.

Background

- New York State Corporation – located in Saratoga County
- 100% of revenue comes from local government software products and services
- Current staff of 40 + professionals

Major Software Product Lines

- Clerk Licensing
- Tax Billing & Collection
- Permits, Code Enforcement, Fire Inspections
- Planning & Zoning
- FOIL Tracker
- Utility Billing
- Accounting
- Animal Control/Animal Shelter
- Public Works
- Web Portal – Service Request System

Product Support & Services

- Annual User Group Meeting
- Telephone Support (24x7)
- Annual Software Updates

IT/Web Services

- Website Design & Hosting
- Online Backup
- Disaster Recovery & Business Continuity Planning
- Needs Assessment/Consulting
- Network Planning, Design & Implementation
- Network Management Services
- E-Mail Management and Filtering

The BAS Group is a leading provider of software solutions for local governments. We are currently seeking qualified individuals to join our team. For more information, please contact us at 518-537-1100 or visit our website at www.basinc.com.

From: Melissa <dagobah_12@hotmail.com>
To: pmackogrsuper <pmackogrsuper@aol.com>
Subject: FW: BAS Animal Control Software Proposal for Greenville
Date: Wed, Apr 22, 2015 2:08 pm
Attachments: Greenville ACO System Proposal.pdf (4488K)

Hello Paul,
Here is some information, including the price, regarding the Animal Control system from BAS.
Melissa Rosa

From: dvitti@BASGov.com
To: dagobah_12@hotmail.com
Subject: BAS Animal Control Software Proposal for Greenville
Date: Wed, 22 Apr 2015 16:25:50 +0000

Hi Melissa,

Please find the quote attached for your review!

We are very interested in acquiring more business in Greenville and Greene County too!

Any questions please let me know via phone or email of course.

Thank you for the opportunity and have a wonderful Spring.

Dave Vitti

Sales Consultant

IT Services & Software Solutions

Business Automation Services, Inc.

661 Plank Road

Clifton Park, NY 12065

p: 518.371.6869 f: 518.371.8207

Confidential Legal Notice: This message (including any attachments) is intended for the use of the individual or entity to whom it is addressed and contains information that is privileged and confidential. If you are not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you should

not disseminate, distribute or copy this information and communication to any individual(s) not specifically identified in the above address headings.



energy solutions



May 5, 2015

TOWN OF GREENVILLE
PO BOX 38
GREENVILLE NY 120830038

Dear Valued Municipal Customer:

Several years ago, Central Hudson provided its municipal customers the opportunity to upgrade inefficient lighting systems to the latest fluorescent T-8 technologies, at no cost. Each year Central Hudson is seeking to find cost-effective ways to reduce our community's electric consumption while reducing our carbon footprint. Having received numerous positive responses to this program, we are offering it again, on a **first come first served basis**.

Central Hudson is giving away **\$1,000,000** to local municipalities to make the upgrade to light emitting diode technology, or LED. Now that LED technology has taken lighting efficiency to a new level, and knowledge that previously installed fluorescent lamps and ballasts may be reaching the end of their useful life, the timing is excellent.

After scheduling your free audit and upon the approval to proceed, they will schedule the installation with your team, replacing all of your fluorescent lamps with new LED lamps and ballasts, and properly recycle the old materials, covering up to 100% of the entire cost.

The new lighting system will again make your facilities a safer and brighter working environment, and the new lights come with a **5 year warranty**. This is a turn-key, **zero-cost** offering, and your Staff will only be asked to provide access to the space and to coordinate the installation schedule.

Schedule your free audit today by calling (845) 486-5221.

Thank you in advance for your needed participation and we look forward to another successful program.

Warm Regards,

Amanda DiMaso
Director-Energy Efficiency

284 South Avenue
Poughkeepsie, NY 12601

(845) 452-2000
email: adimaso@cenhud.com
www.CentralHudson.com

From: Jackie Park <townclerk@townofgreenvillenyny.com>

To: pdrexler <pdrexler@lime-energy.com>

Cc: Paul Macko <pmackogrsuper@aol.com>; leroybear2327 <leroybear2327@yahoo.com>

Subject: Central Hudson Lighting Program information

Date: Tue, May 12, 2015 11:38 am

Mr. Drexler,

Per your request for information as relayed by Supervisor Paul Macko, please find the information, below:

Pioneer Building
Town of Greenville
11159 SR 32
Greenville, NY 12083
518-966-5055
#1635-0690-00-0

Highway Department
Greenville Town Highway
53 CR 26A
Greenville, NY 12083
518-966-8160
#1635-1030-00-8

Greenville Public Library
11177 SR 32
Greenville, NY 12083
518-966-8205
#1635-0610-00-8

The contact for these properties is Maintenance Supervisor, Mr. Leroy Bear. He can be reached at PO Box 38, 11159 SR 32, Greenville, NY 12083. Office telephone 518-966-5055 x4, cell 518-337-8508, or email leroybear2327@yahoo.com.

Do not hesitate to respond should you need further information.

Jackie Park
Town Clerk-Collector
Town of Greenville, Greene County
PO Box 38, 11159 SR 32
Greenville, NY 12083
518-966-5055 x23

From: Patrick Drexler <pdrexler@lime-energy.com>
To: pmackogrsuper <pmackogrsuper@aol.com>
Subject: Central Hudson Lighting Program
Date: Mon, May 11, 2015 6:22 pm

Hi Paul, Great talking with you today. I need you to send me back a list of properties with full address, and Central Hudson account numbers associated with them. Also please provide the name, phone #, and e-mail address for the facility manager. Once I receive them I will open a file and begin the audit process. If you have any questions my contact info is below. We look forward to working with you and the town again.
Sincerely,

Patrick J Drexler
Sales Manager/ Central Hudson Lighting Program
LIME ENERGY/Building A Clean Energy Future
123 Rombout Av
Beacon New York
Office 845.632.6722
Cell 585.259.1901
pdrexler@lime-energy.com

IMPORTANT! - This email message is intended for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified any dissemination, distribution, copying, or other use of this message is strictly prohibited. If you receive this message in error, please notify the sender immediately by reply email, and destroy all copies of the original message.